

Serial No. 09/625,889  
Page 2

**IN THE CLAIMS**

(The previously presented claims were amended in a response, mailed April 01, 2003, to a non-final Office Action mailed January 16, 2003).

1. (Original) A method for managing adjunct access for a circuit in a network management system, the method comprising the step of:  
providing a respective manageable link representing each non-managed portion of the circuit, responsive to a determination that a non-managed portion of the circuit exists.
2. (Original) The method of claim 1, wherein each respective manageable link is coupled to at least one of a Digital Cross Connect (DCS), a Light wave Guided Cross Connects (LGX), and a Distribution Drop Point (DDP).
3. (Original) The method of claim 2, wherein each respective manageable link comprises at least one of a fiber optic cable, a twisted copper pair, and a coaxial cable.
4. (Original) The method of claim 2, wherein said links comprise at least one of a digital carrier and an optical carrier.
5. (Previously Presented) A method for designing a continuous circuit, comprising the steps of:  
determining whether a non-managed portion of a circuit exists; and  
providing a link between each non-managed portion of the circuit and proximate managed portions of the circuit, said link being characterized as a managed carrier link by a network management system.
6. (Original) The method of claim 5, wherein said links are coupled to at least one of:

**BEST AVAILABLE COPY**

324994-1

Serial No. 09/625,889  
Page 3

a Digital Cross Connect (DCS), a Light wave Guided Cross Connects (LGX), and a Distribution Drop Point (DDP).

7. (Original) The method of claim 6, wherein said links comprise at least one of:  
a fiber optic cable, a twisted copper pair, and a coaxial cable.
8. (Original) The method of claim 6, wherein said links comprise at least one of:  
a digital carrier and an optical carrier.
9. (Previously Presented) A method comprising the steps of:  
receiving a request to provision a circuit;  
selecting a path for said circuit within a network comprising a plurality of network elements;  
assigning links bridging non-managed portions of said circuit path; and  
characterizing said assigned links as managed carrier links.
10. (Original) The method of claim 9, further comprising the step of:  
determining if cross-connect network elements exist for bridging non-managed portions of said circuit path to managed portions of said circuit path;  
and  
assigning available cross-connect network elements to appropriate links bridging non-managed portions of said circuit.
11. (Original) The method of claim 9, wherein said non-managed portions of said network comprise at least one of adjunct access facilities or leased facilities.
12. (Previously Presented) An apparatus for designing a continuous circuit, comprising:

324994-1

Serial No. 09/625,889  
Page 4

a processor and an associated storage device including instructions for controlling said processor, said instructions, when executed, causing said processor to perform the steps of:

determining whether a non-managed portion of a circuit exists; and  
providing a link between non-managed portions of the circuit and respective proximate managed portions of the circuit, said link being characterized as a managed carrier link by a network management system.

13. (Original) The apparatus of claim 12, wherein links are coupled to at least one of:

a Digital Cross Connect (DCS), a Light wave Guided Cross Connects (LGX), and a Distribution Drop Point (DDP).

14. (Original) The apparatus of claim 13, wherein said links comprise at least one of:

a fiber optic cable, a twisted copper pair, and a coaxial cable.

15. (Original) The apparatus of claim 13, wherein said links comprise at least one of:

a digital carrier, and an optical carrier.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**